

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Wetrok Mepol HX

UFI: 5SPS-DH1V-6006-7279

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Cleaning care and protection product. For the treatment of floors.
Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name:	Wetrok AG	
	Headquarters	
Street:	Steinackerstr. 62	
Place:	CH-8302 Kloten	
Telephone:	+41 (0)43 255 51 51	
E-mail:	chemie@wetrok.ch	
Contact person:	Head Regulatory	Telephone: +41 (0)43 255 53 50
Internet:	www.wetrok.ch	
Responsible Department:	BU Chemicals / Regulatory	
	Mobile + 41 79 657 45 20	

1.4. Emergency telephone number:

+49 (0)89 19240 (Giftnotruf München Toxikologische Abteilung) - Im Notfall
(CH): +41 44 251 51 51 (Tel. 145) (Toxikologisches Zentrum)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Skin Sens. 1; H317
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

Amminzinkcarbonate
2-methylisothiazol-3(2H)-one
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Signal word: Warning

Pictograms:

**Hazard statements**

H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 2 of 11

P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P321	Specific treatment (see ... on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to

Additional advice on labelling

No marking required according to 1999/45/EC, appendix V B, No. 9.

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	Classification (GB CLP Regulation)	
34590-94-8	2- (methoxy-methylethoxy) propanol	1 - < 5 %
	252-104-2	01-2119450011-60
111-90-0	2-(2-ethoxyethoxy)ethanol	1 - < 5 %
	203-919-7	
	Eye Irrit. 2; H319	
38714-47-5	Amminzinkcarbonate	0.1 - < 1 %
	254-099-2	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H315 H319 H317 H400 H410	
2682-20-4	2-methylisothiazol-3(2H)-one	< 0.1 %
	220-239-6	613-326-00-9
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.05 %
	220-120-9	613-088-00-6
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400	
107-21-1	ethanediol; ethylene glycol	< 0.1 %
	203-473-3	603-027-00-1
	Acute Tox. 4; H302	
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	< 0.0015 %
	-	613-167-00-5
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071	

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 3 of 11

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
111-90-0	203-919-7	2-(2-ethoxyethoxy)ethanol	1 - < 5 %
		dermal: LD50 = 8476 mg/kg; oral: LD50 = 5900 mg/kg	
2682-20-4	220-239-6	2-methylisothiazol-3(2H)-one	< 0.1 %
		inhalation: ATE = 0.5 mg/l (vapours); inhalation: ATE = 0.05 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg Skin Sens. 1A; H317: >= 0.0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.05 %
		oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0.05 - 100	
107-21-1	203-473-3	ethanediol; ethylene glycol	< 0.1 %
		dermal: LD50 = 10600 mg/kg; oral: ATE = 500 mg/kg	
55965-84-9	-	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	< 0.0015 %
		inhalation: ATE = 0.5 mg/l (vapours); inhalation: ATE = 0.05 mg/l (dusts or mists); dermal: ATE = 50 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1C; H314: >= 0.6 - 100 Skin Irrit. 2; H315: >= 0.06 - < 0.6 Eye Dam. 1; H318: >= 0.6 - 100 Eye Irrit. 2; H319: >= 0.06 - < 0.6 Skin Sens. 1A; H317: >= 0.0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % phosphates, < 5 % non-ionic surfactants, preservation agents (Methylisothiazolinone, Benzisothiazolinone, Methylchloroisothiazolinone/methylisothiazolinone).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. If medical advice is needed, have product container or label at hand.

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date. In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. May produce an allergic reaction. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 4 of 11

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear personal protection equipment. Wear suitable protective clothing, gloves and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Observe instructions for use.

Advice on protection against fire and explosion

The product is not: Combustible.

The product is not: Explosive.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Further information on handling

No special handling instructions are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Protect from direct sunlight. Store in a cool dry place. Recommended storage temperature: at room temperature

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Minimum storage temperature: 15°C

Maximum storage temperature: 25°C

7.3. Specific end use(s)

Follow the instructions for use on the label.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 5 of 11

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

PNEC values

CAS No	Substance	Value
Environmental compartment		
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	

Additional advice on limit values

Exposure limit values: No data available

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommendation:

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material 0.2 mm

Breakthrough time: 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn EN ISO 374

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	white
Odour:	characteristic

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 6 of 11

Test method

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	not applicable
Lower explosion limits:	not applicable
Upper explosion limits:	not determined
Flash point:	No data available
Decomposition temperature:	not determined
pH-Value:	8.0 - 9.0
Water solubility:	completely miscible
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	1.020 - 1.030 g/cm ³ ASTM D 7777
Relative vapour density:	not determined
Particle characteristics:	No data available

9.2. Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Further Information

none

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Conditions to avoid: frost. Protect from sunlight.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 7 of 11

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-90-0	2-(2-ethoxyethoxy)ethanol				
	oral	LD50 mg/kg	5900	Rat	
	dermal	LD50 mg/kg	8476	Rabbit	
2682-20-4	2-methylisothiazol-3(2H)-one				
	oral	ATE mg/kg	100		
	dermal	ATE mg/kg	300		
	inhalation vapour	ATE	0.5 mg/l		
	inhalation dust/mist	ATE	0.05 mg/l		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	oral	ATE mg/kg	500		
107-21-1	ethanediol; ethylene glycol				
	oral	ATE mg/kg	500		
	dermal	LD50 mg/kg	10600	Rabbit	GESTIS
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)				
	oral	ATE mg/kg	100		
	dermal	ATE	50 mg/kg		
	inhalation vapour	ATE	0.5 mg/l		
	inhalation dust/mist	ATE	0.05 mg/l		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Amminzinkcarbonate; 2-methylisothiazol-3(2H)-one; 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one; Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1))

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 8 of 11

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification according to Regulation (EC) No 1272/2008 [CLP] The product has not been tested.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No data available

Further information

No data available

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)					
	Fish toxicity	NOEC mg/l	0.098	28 d	Oncorhynchus mykiss (Rainbow trout)	OECD 210
	Algae toxicity	NOEC mg/l	0.0012	72 d	Pseudokirchneriella subcapitata	OECD 201
	Crustacea toxicity	NOEC mg/l	0.004	21 d	Daphnia magna (Big water flea)	OECD 211

12.2. Persistence and degradability

There are no data available on the mixture itself.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			
	closed bottle test	> 60% (oxygen depletio)	28	OECD 301 D
	Readily biodegradable.			

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	ethanediol; ethylene glycol	-1,36
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	0.75

BCF

CAS No	Chemical name	BCF	Species	Source
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	3.6		

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 9 of 11

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Avoid release to the environment.

Classification according to Regulation (EC) No 1272/2008 [CLP] The product has not been tested.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080119 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - used product

080119 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 10 of 11

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: 5.0 % (50 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 5.0 % (50 g/l)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abbreviations and acronyms

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Eye Irrit: Eye irritation

Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.

Safety Data Sheet

according to UK REACH Regulation

Wetrok Mepol HX

Revision date: 15.03.2023

Product code: 188

Page 11 of 11

H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Beschichtung von Böden	-	22	35	10	11b	30	-	3

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)